

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"08277808".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:37
L4	6	("split key" or "split-key") same (software or firmware) and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:23
L5	51	("split key" or "split-key") and (software or firmware) and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:33
L6	1	("split key" or "split-key") and ((software or firmware) adj product) and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:24
L7	4	("split key" or "split-key") and ((encrypt\$3 or encipher\$3 or cipher\$3 or scrambl\$3) near4 (software or firmware)) and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:41
L8	5	("split key" or "split-key") and ((updat\$3 or upgrad\$3) near4 (software or firmware)) and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:47
L9	5	("split key" or "split-key") same ("exclusive-or" or "exclusive or" or "x-or") and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:50
L10	28	("partial key" or (key near2 portion)) same ("exclusive-or" or "exclusive or" or "x-or") and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:03
L11	2406	("non-sequential" or "non sequential") and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:04
L12	4	("non-sequential" or "non sequential") near2 version and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:09

L13	4	("non-sequential" or "non sequential" or "non-sequenc") near2 version and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:10
L14	0	("non-sequenc") near2 version and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:10
L15	0	("not sequenc") near2 version and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:11
L16	0	("unsquenc") near2 version and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:11
L17	0	(unsquenc\$3) near2 version and @ad <= "20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:11
L18	0	"split key" and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:57
L19	0	"split-key" and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:57
S68	10	"706275"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 15:18
S69	569	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 15:18
S70	272	713/189.ccls. and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:12

S71	0	(713/189.ccls. and @ad < "20010401") and (instal\$4 with ((second or third) near4 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 15:22
S72	284	instal\$4 with ((second or third) near4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:10
S73	184	instal\$4 with ((second or third) adj4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:26
S74	125	(instal\$4 with ((second or third) adj4 key)) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:34
S75	0	instal\$4 with ((second or third) adj4 "decrypt\$3 key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:27
S76	3	instal\$4 with ((second or third) adj4 (decrypt\$ adj3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:27
S77	2	(instal\$4 with ((second or third) adj4 (decrypt\$ adj3 key))) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:28
S78	40	combin\$3 with ((encryption key) near6 (updat\$3 or upgrad\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:34
S79	19	(combin\$3 with ((encryption key) near6 (updat\$3 or upgrad\$3))) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:45
S80	324	(different adj version) with (updat\$3 or upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 16:45

S81	178	((different adj version) with (updat\$3 or upgrad\$3)) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 13:09
S82	178	((different adj version) with (updat\$3 or upgrad\$3)) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 11:08
S83	13	((different adj version) with (updat\$3 or upgrad\$3)) and @ad < "20010401" and ((updat\$ or upgrad\$3) near5 (unrelat\$3 or unconnect\$3 or separat\$4 or interchang\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 13:07
S84	433	(generat\$4 near3 key) near8 (updat\$3 or upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:51
S85	104	((key near3 key) near3 (generat\$4 near3 key)) and @ad < "20010401" and (generat\$4 near3 key) near8 (updat\$3 or upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 17:21
S86	6	((install\$3 or download\$3) near5 ("non sequential" or "no\$ inorder"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:13
S87	4	((install\$3 or download\$3) near5 ("non sequential" or "no\$ inorder")) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:15
S88	103	((install\$3 or download\$3) near5 ("non sequential" or "no\$ inorder" or unrelat\$3 or unconnect\$3 or separat\$3 or interchang\$4) near2 (disk or disc)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:34
S89	78	((install\$3 or download\$3) near5 ("non sequential" or "no\$ inorder" or unrelat\$3 or unconnect\$3 or separat\$3 or interchang\$4) near2 (disk or disc))) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:45
S90	1	((install\$3 or download\$3) near5 ("non sequential" or "no\$ inorder" or unrelat\$3 or unconnect\$3 or interchang\$4) near2 (disk or disc)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:34

S91	35	((download\$3 or install\$3) near5 ("different version" near3 (softwar\$ or firmwar\$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:45
S92	20	((((download\$3 or install\$3) near5 ("different version" near3 (softwar\$ or firmwar\$)))) and @ad < "20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 14:45
S93	9	"5933501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 20:30
S94	198	("5313530" "5956407" "5991402" "6253193" "6272636" "6314468" "6363488" "6389402" "6427140" "6163841" "6209093" "4316055" "4351982" "4633036" "4964164" "5768390" "5956408" "6125446" "5414651" "5636277" "5737425" "5774544" "5790663" "5933503" "6259790" "4433207" "5222134" "5231662" "5245658" "5301235" "5325433" "5414768" "5420928" "5563946" "5586186" "5598470" "5689560" "5710813" "5715316" "5727063" "5729594" "5737416" "5737424" "5740249" "5757907" "5757908" "5764766" "5768373" "5790783" "5825890" "5892827" "5894516" "5898777" "5933620" "5950172" "5963915" "5974151" "5973731" "5982892" "5982900" "6009525" "6009401" "6014052" "6021491" "6038665" "6041123" "6044469" "6049874" "6069955" "6118869" "6134324" "6189097" "6195432" "6275587" "6317849" "6332025" "6396926" "6415310" "6681214" "6684200" "6701433" "6711553" "6751735" "5768388" "5535276" "5588061" "5737419" "5748735" "5838792" "5905799" "5319710" "5557678" "5787175" "5917910" "5535277" "5761302" "5870470" "5987124" "6028932" "6044468").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 20:32

S95	0	((("5313530" "5956407" "5991402" "6253193" "6272636" "6314468" "6363488" "6389402" "6427140" "6163841" "6209093" "4316055" "4351982" "4633036" "4964164" "5768390" "5956408" "6125446" "5414651" "5636277" "5737425" "5774544" "5790663" "5933503" "6259790" "4433207" "5222134" "5231662" "5245658" "5301235" "5325433" "5414768" "5420928" "5563946" "5586186" "5598470" "5689560" "5710813" "5715316" "5727063" "5729594" "5737416" "5737424" "5740249" "5757907" "5757908" "5764766" "5768373" "5790783" "5825890" "5892827" "5894516" "5898777" "5933620" "5950172" "5963915" "5974151" "5973731" "5982892" "5982900" "6009525" "6009401" "6014052" "6021491" "6038665" "6041123" "6044469" "6049874" "6069955" "6118869" "6134324" "6189097" "6195432" "6275587" "6317849" "6332025" "6396926" "6415310" "6681214" "6684200" "6701433" "6711553" "6751735" "5768388" "5535276" "5588061" "5737419" "5748735" "5838792" "5905799" "5319710" "5557678" "5787175" "5917910" "5535277" "5761302" "5870470" "5987124" "6028932" "6044468").pn. ) and ((updat\$ or upgrad\$3) near3 "non sequential"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 20:34
S10 0	2	"5956408".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:22
S10 1	27	"split key" with (encrypt\$3 or encipher\$3 or cipher\$3 or scrambl\$3 or cryptography) and @ad < "20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:43
S10 2	230	((split\$ or divid\$3) near2 key) with (encrypt\$3 or encipher\$3 or cipher\$3 or scrambl\$3 or cryptography) and @ad < "20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:41
S10 3	277	"split key" or "split-key" and @ad < "20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:43

§10 4	230	("split key" or "split-key") and @ad < "20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:37
----------	-----	--	---	----	----	------------------